Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	504	(file near2 system) and (create\$ with volume)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:23
L2	0	(file near2 system) and (create\$ with volume) and WOM	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	OFF	2005/06/08 11:23
L3	8	(file near2 system) and (create\$ with volume) and WORM	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:32
L4	5	(file near2 system) and (create\$ near2 volume) and WORM	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:34
L5	97	WORM near2 volume	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:37
L6	3.	5 and (directory or (file near2 system))	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:38
L7	539	WORM with volume	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:37
L8	13	7 and (directory or (file near2 system))	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:48
L9	7	(WORM near2 volume).clm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:50

L10	15	(file with delete).clm. and (file with written).clm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:09
L11	4177	compression with loop	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:10
L12	. 460	(compression with loop).clm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:10
L13	3	(compression with loop).clm. and files	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:11
L14	3	(compression with loop).clm. and file.clm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:11
L15	1005	(compression with (code or program)).clm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:12
L16	0	14 and (loop near2 structure)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:12
L17	3	14 and loop	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:18
L18	4027	(read near2 only) with state	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:19
L19	22	18 and (committ\$ with file)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:24

L20	599	(committ\$ with file)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:24
L21	0	20 and (read near2 only) and (not-read near2 only)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:24
L22	10	20 and (read near2 only) and (transition with states)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:25
L23	39538	(commit\$) (read near2 only) and (transition with states)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:25
L24	124	(commit\$) and (read near2 only) and (transition with states)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:26
L25	5	(commit\$) and (read near2 only) and (transition with states) and (file with attribute)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:26
L26	30	(commit\$) and (read near2 only) and (transition with states) and attributes	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:40
L27	0	(committing near2 file) same transition	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:40
L28	0	(committing with file) same transition	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:40
L29.	9	(commit\$ with file) same transition	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:41

L30	3	29 and (read near2 only)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:41
L31	36	(commit\$ with file) and (read near2 only) and transition	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:44
L32	2	"5369757".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:01
L33	2123	341/51	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:01
L34	86	33 and (conversion near2 table)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:02
L35	34	34 and ('16' near2 bit)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF.	2005/06/08 13:02
L36	2	34 and ('16' near2 bit near2 codes)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:06
L37	1	(16-bit: near2 codes) with frequency	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:33
L38	. 86	33 and (conversion near2 table)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:34
L39	4	38 and ((16-bit) same frequency)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:36

L40	4	38 and ((16-bit) same frequency) and (8-bit)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:37
L41	25	(conversion near2 table) and (((16-bit) same frequency) same (8-bit))	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:40
L42	0	WO99/31092	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:41
L43	0	WO99/31092	US-PGPUB; USPAT; USOGR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:41
L44	1	WO99/21092	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:43
L45	1	WO99/21092 and (conversion near2 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:12
L46	1	10/073245 and non	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:12
L47	1	WO99/21092 and frequency	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:43